

Chassis Type	Production Year	Sales Designation	Wheel Base (mm)	Cab	GVW (Kg)	Engine Type	Fuel	kW	PS	ccm	Note
2010.000 70 200	06/1951-08/1953	U25	1697	open		OM 636	Diesel		32	1767	Boehringer
	02/1949-03/1951	70 200	1697	open		OM 636	Diesel		32	1767	Boehringer
401.101	08/1953-08/1956	U25	1720	open		OM 636	Diesel		32	1767	***
401.102	08/1953-08/1956		1720	closed		OM 636	Diesel		32	1767	***
401.103	08/1953-08/1956		1720	open		OM 636	Diesel		32	1767	***
401.104	08/1953-08/1956		1720	closed		OM 636	Diesel		32	1767	***
401.105	08/1953-08/1956		1720	closed		OM 636	Diesel		32	1767	***
401.106	08/1953-08/1956		1720	closed		OM 636	Diesel		32	1767	***

402.101	10/1953-08/1956	U25	2120	open		OM 636	Diesel		32	1767	***
402.102	10/1953-08/1956		2120	closed		OM 636	Diesel		32	1767	***
402.103	10/1953-08/1956		2120	open		OM 636	Diesel		32	1767	mit Hydraulik
402.104	10/1953-08/1956		2120	closed		OM 636	Diesel		32	1767	mit Hydraulik

403.120	04/1966 - 03/1972	U 54	2380	open	5500	OM 314.916	Diesel	40	54	3780	***
403.121	04/1966 - 03/1972		2380	closed	5500	OM 314.916	Diesel	40	54	3780	***
403.122	01/1969 - 01/1977	U 72	2380	open	6000	OM 314.917	Diesel	53	72	3780	***
403.122	03/1969 - 01/1988	U 66	2380	open	6000	OM 314.917	Diesel	53	72	3780	***
403.122	01/1977 - 03/1990	U 800	2380	open	6000	OM 314.917	Diesel	53	72	3780	***
403.123	01/1969 - 01/1977		2380	closed	6000	OM 314.917	Diesel	48	65	3780	***
403.123	03/1969 - 01/1988		2380	closed	6000	OM 314.917	Diesel	55	75	3780	***
403.123	01/1977 - 03/1990		2380	closed		OM 314.917	Diesel	53	72	3780	***

404.010	1972-1980	U 82	2900	open		M 180.958	Gasoline				***
404.011	1972-1980		2900	closed		M 180.958	Gasoline				***
404.012	1972-1980	U 110	2900	open		M 130.925	Gasoline				***
404.013	1972-1980		2900	closed		M 130.925	Gasoline				***
404.111	1955-1977	U 80	2670	open		M 180.952	Gasoline				***
404.112	1955-1977		2670	closed		M 180.952	Gasoline				***
404.113	01/1955-12/1976		2900	open	5500	M 180.952	Gasoline	60	82	2195	***
404.113	01/1955-12/1976		2900	closed	5500	M 180.952	Gasoline	60	82	2195	***
404.114	01/1955-12/1976		2900	open	5500	M 180.952	Gasoline	60	82	2195	***
404.114	01/1955-12/1976		2900	closed	5500	M 180.952	Gasoline	60	82	2195	***
404.115	01/1955-12/1976		2900	open	5500	M 180.952	Gasoline	60	82	2195	***
404.115	01/1955-12/1976		2900	closed	5500	M 180.952	Gasoline	60	82	2195	***
404.117	1955-1977	U 60	2900	open	5500	OM 615.911	Diesel	33	45	2197	Angola Production

405.100	03/2000 -	U 300	3080	closed	7500	OM 904.927	Diesel	110	150	4249	***
405.101	03/2000 -		3080	closed	7500	OM 900.915	Diesel	115	156	4249	***
405.102	03/2000 -	U 400	3080	closed	11990	OM 904.928	Diesel	170	231	4249	***
405.103	03/2000 -		3080	closed	11990	OM 900.916	Diesel	130	177	4249	***
405.120	03/2000 -		3600	closed	7500	OM 904.927	Diesel	110	150	4249	***
405.121	03/2000 -		3600	closed	7500	OM 900.915	Diesel	115	156	4249	***
405.122	03/2000 -		3600	closed	11990	OM 904.928	Diesel	130	177	4249	***
405.123	03/2000 -		3600	closed	11990	OM 902.923	Diesel	130	177	4249	***
405.200	03/2000 -	U 500	3350	closed	14000	OM 906.935	Diesel	170	231	6374	***
405.201	03/2000 -		3350	closed	14000	OM 902.923	Diesel	175	238	6374	***
405.210	03/2000 -	U 500 NA	3080	closed	14000	OM 906 LA	Diesel	170	231	6374	Turbo Intercooler
405.210	03/2000 -		3350	closed	14000	OM 906 LA	Diesel	205	279	6374	Turbo Intercooler
405.220	03/2000 -		3900	closed	14000	OM 906.935	Diesel	170	231	6374	***
405.221	03/2000 -		3900	closed	14000	OM 902.923	Diesel	175	238	6374	***
405.230	03/2000 -		3080	closed	14000	OM 906 LA	Diesel	170	231	6374	Turbo Intercooler
405.230	03/2000 -		3900	closed	14000	OM 906 LA	Diesel	205	279	6374	Turbo Intercooler

406.120	01/1962-01/1988	U 65	2380	open	5500	OM 353.902	Diesel	62	84	5675	***
406.120	01/1962-01/1988	U 70	2380	open	5500	OM 353.902	Diesel	62	84	5675	***
406.120	05/1969-01/1988		2380	open	5500	OM 353.902	Diesel	62	84	5675	***
406.120	03/1971-1988	U 84	2380	open	5500	OM 353.902	Diesel	62	84	5675	***
406.120	01/1977 -	U 900	2380	open	5500	OM 353.902	Diesel	62	84	5675	***
406.121	01/1962-01/1988		2380	closed	5500	OM 353.902	Diesel	48	65	5480	***
406.121	01/1962-01/1988		2380	closed	5500	OM 353.902	Diesel	48	65	4580	***
406.121	05/1969-01/1988		2380	closed	5500	OM 353.902	Diesel	62	84	5675	***
406.121	03/1971-1988		2380	closed	5500	OM 353.902	Diesel	62	84	5675	***
406.121	01/1977 -		2380	closed	5500	OM 353.902	Diesel	62	84	5675	***
406.130	01/1962-01/1988	U 65 T		open	5500	OM 352.919	Diesel	48	65	5480	Traction Head
406.130	05/1966-12/1968	U 70 T		open	5500	OM 352.919	Diesel	48	70	4580	Traction Head
406.133	05/1966 -	U 80 T		closed	5500	OM 352.903	Diesel	59	80	5675	Traction Head
406.142	01/1977 - 01/1988		2380	open	6000	OM 353.940	Diesel	81	110	5675	***
406.143	01/1977 - 01/1988		2380	closed	6000	OM 353.940	Diesel	81	110	5675	***
406.145	01/1977 -		2380	closed		OM 353.902	Diesel	62	84	5675	***

407.100	05/1988-	U 600	2250	closed	5800	OM 616.942	Diesel	38	52	2399	***
407.110	05/1988-		2605	closed	5800	OM 616.943	Diesel	38	52	2399	***
407.111	05/1988-	U 650 L	2605	closed	5800	OM 616.943	Diesel	38	52	2399	***
407.200	05/1988 -		2250	closed	4500	OM 616.942	Diesel	38	52	2399	***
407.210	05/1988 -		2605	closed	4500	OM 616.943	Diesel	38	52	2399	***
407.211	05/1988 -		2605	closed	4500	OM 616.943	Diesel	38	52	2399	***

408.100	11/1992 -12/2001	U 90	2690	closed	6500	OM 602.941	Diesel	65	88	2874	***
408.101	11/1992 -12/2001		2690	closed	6500	OM 602.981	Diesel	85	116	2874	***
408.215	11/1992 -12/2001	U 100 L	2690	closed	6200	OM 602.948	Diesel	71	97	2874	***

Chassis Type	Production Year	Sales Designation	Wheel Base (mm)	Cab	GVW (Kg)	Engine Type	Fuel	kW	PS	ccm	Note
408.216	11/1992 -12/2001		3220	closed	6200	OM 602.981	Diesel	85	116	2874	***

411.110	08/1956-10/1974	U 32	1720	open		OM 636	Diesel		32	1767	***
411.112	08/1956-10/1974	U 32 L	2120	open		OM 636	Diesel		32	1767	***
411.118	08/1956-10/1974	U 34	1720	open		OM 636	Diesel		34	1767	***
411.119	08/1956-10/1974	U 34 L	2120	open		OM 636	Diesel		34	1767	***
411.120	08/1956-10/1974		2120	closed		OM 636	Diesel		34	1767	***

413.100	01/1969 - 01/1977		2900	open	5500	OM 314.917	Diesel	48	65	3780	***
413.100	01/1969-01/1977		2900	open	5500	OM 314.917	Diesel	48	65	3780	***
413.100	01/1977 - 03/1990	U 800 L	2900	open		OM 314.917	Diesel	53	72	3780	***
413.110	01/1977 - 03/1990		2900	closed	5500	OM 314.917	Diesel	53	72	3780	***
413.110	01/1977 - 03/1990		2900	open	6500	OM 314.917	Diesel	53	72	3780	***
413.111	01/1969 - 01/1977		2900	closed	5500	OM 314.917	Diesel	48	65	3780	***
413.111	01/1977 - 03/1990		2900	closed		OM 314.917	Diesel	53	72	3780	***

416.114	01/1977-01/1988	U 100	2900	open	6750	OM 353.907	Diesel	92	125	5675	***
416.114	01/1977-01/1988	U 1100	2900	open	6750	OM 353.907	Diesel	92	125	5675	***
416.115	01/1977-05/1988		2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.115	01/1977-05/1988		2900	closed	6750	OM 353.940	Diesel	74	100	5675	***
416.116	01/1977-05/1988		3400	open	6500	OM 353.940	Diesel	74	100	5675	***
416.116	01/1977-05/1988		3400	open	6500	OM 353.940	Diesel	74	100	5675	***
416.117	01/1977-05/1988		3400	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.117	01/1977-05/1988		3400	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.122	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.122	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.123	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.123	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.124	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.124	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.125	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.125	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.126	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.126	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.127	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.127	05/1969-01/1988		2900	closed	5500	OM 353.902	Diesel	62	84	5675	***
416.130	05/1966 -01/1988	U 90 T	***	open	5500	OM 352.984	Diesel	59	80	5675	Traction Head
416.130	05/1966 -01/1988	U 90 T	***	open	5500	OM 352.984	Diesel	59	80	5675	Traction Head
416.133	05/1966 -01/1988	U 90 T	***	closed	5500	OM 352.984	Diesel	59	80	5675	Traction Head
416.134	01/1977-01/1988	U 100 T	***	closed	13000	OM 353.940	Diesel	74	100	5675	Traction Head
416.134	01/1977-01/1988	U 110 T	***	open	13000	OM 353.940	Diesel	74	100	5675	Traction Head
416.134	01/1977-01/1988	U 1100 T	***	open	13000	OM 353.940	Diesel	74	100	5675	Traction Head
416.135	06/1969-01/1988	U 1100 T	***	closed	13000	OM 353.940	Diesel	74	110	5675	Traction Head
416.140	01/1977-05/1988		2900	open	6500	OM 353.940	Diesel	74	100	5675	***
416.140	01/1977-05/1988		2900	open	6500	OM 353.940	Diesel	74	100	5675	***
416.140	01/1977-05/1988		2900	open	6500	OM 353.940	Diesel	74	100	5675	***
416.141	01/1977-05/1988		2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.141	01/1977-05/1988		2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.141	01/1977-05/1988		2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.160	01/1977-05/1988		2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.160	01/1977-05/1988	U 1100 L	2900	closed	6500	OM 353.940	Diesel	74	100	5675	***
416.162	01/1977-01/1988	U 125	2900	open	6750	OM 353.907	Diesel	92	125	5675	***
416.162	01/1977-01/1988		2900	open	6750	OM 353.907	Diesel	92	125	5675	***
416.163	01/1977-01/1988		2900	closed	6750	OM 353.907	Diesel	92	125	5675	***
416.163	01/1977-01/1988		2900	closed	6750	OM 353.907	Diesel	92	125	5675	***

417.000			***	closed	***	OM 353.940	Diesel	74	110	5675	Traction Head
417.100	05/1988-03/1990		2380	closed	7500	OM 314.917	Diesel	53	72	3780	***
417.101	05/1988-		2380	closed	7500	OM 353.902	Diesel	62	84	5675	***
417.106	11/1988-		2380	closed	7500	OM 366.939	Diesel	81	110	5958	***
417.110	05/1988 -	U 1150	2900	closed	7500	OM 353.940	Diesel	81	110	5675	***
417.111	05/1988 -	U 1150 L	2900	closed	7500	OM 353.940	Diesel	81	110	5675	***
417.115	05/1988 -		2900	closed	7500	OM 353.940	Diesel	81	110	5675	***
417.116	05/1988 -		2900	closed	7500	OM 353.940	Diesel	81	110	5675	***
417.120	05/1988 -		3400	closed	7500	OM 353.940	Diesel	81	110	5675	***
417.200	01/1977-03/1990		2380	closed	6000	OM 314.917	Diesel	53	72	3780	***
417.201	01/1977 -		2380	closed	5500	OM 353.902	Diesel	62	84	5675	***
417.210	05/1988-		2900	closed	6000	OM 353.940	Diesel	81	110	5675	***
417.211	05/1988-		3400	closed	6000	OM 353.940	Diesel	81	110	5675	***
417.212	05/1988-		2900	closed	6000	OM 353.907	Diesel	92	125	5675	***
417.220	05/1988-		2900	closed	6000	OM 353.940	Diesel	81	110	5675	***

418.000		U 130 T	***	closed		OM 364.982	Diesel	98	133	3972	Traction Head
418.102	07/1992 -	U 130	2830	closed	8500	OM 364.982	Diesel	98	133	3972	***
418.102	07/1992 -	U 140	2830	closed	8500	OM 364.982	Diesel	98	133	3972	***
418.115		U 110 L	3470	closed		OM 364.985	Diesel	100	136	3972	***
418.117	07/1992 -	U 140 L	3470	closed	9000	OM 364.985	Diesel	100	136	3972	***
418.217	07/1992 -		3470	closed	9000	OM 364.985	Diesel	100	136	3972	***
418.237	07/1992 -		3470	closed	9000	OM 364.985	Diesel	100	136	3972	***

421.121	1976	U 1000	2650	closed							***
421.122	01/1966 - 04/1971	U 40	2250	open	3500	OM 621.931	Diesel	29	40	1988	***
421.122	01/1966 - 04/1971	U 45	2250	open	3500	OM 615.911	Diesel	33	45	2197	***

Chassis Type	Production Year	Sales Designation	Wheel Base (mm)	Cab	GVW (Kg)	Engine Type	Fuel	kW	PS	ccm	Note
421.123	01/1966 - 04/1971		2250	closed	3500	OM 621.931	Diesel	29	40	1988	***
421.123	01/1966 - 04/1971		2250	closed	3500	OM 615.911	Diesel	33	45	2197	***
421.124	11/1970-1988	U 52	2250	open		OM 619.911	Diesel		52	2456	***
421.124	1970		2250	open		OM 619.911	Diesel		52	2456	***
421.125	11/1970-1988		2250	closed		OM 619.911	Diesel		52	2456	***
421.125	1970		2250	closed		OM 619.911	Diesel		52	2456	***
421.128	01/1977-05/1988		2605	open	4500	OM 616.932	Diesel	38	52	2404	***
421.128	01/1977-05/1988	U 600 L	2605	open	4500	OM 616.932	Diesel	38	52	2404	***
421.129	01/1977-05/1988		2605	closed	4500	OM 616.932	Diesel	38	52	2404	***
421.129	01/1977-05/1988		2605	closed	4500	OM 616.932	Diesel	38	52	2404	***
421.130	1968	U 40 T		open		OM 621	Diesel		55	2197	Traction Head
421.130	12/1970-1988	U 55 T		open		OM 621	Diesel		55	2197	Traction Head
421.131	1968			closed		OM 621	Diesel		55	2197	Traction Head
421.131	1968			closed		OM 621	Diesel		55	2197	Traction Head
421.132	01/1977-05/1988	U 60 T		open	4500	OM 616.932	Diesel	38	60	2404	Traction Head
421.132	01/1977-05/1988	U 600 T		closed	4500	OM 616.932	Diesel	38	60	2404	Traction Head
421.133	01/1977-05/1988			closed	4500	OM 616.932	Diesel	38	60	2404	Traction Head
421.133	01/1977-05/1988			closed	4500	OM 616.932	Diesel	38	60	2404	Traction Head
421.140	01/1977-05/1988		2250	open	4500	OM 619.911	Diesel	38	52	2404	***
421.140	01/1977-05/1988		2250	open	4500	OM 619.911	Diesel	38	52	2404	***
421.141	01/1977-05/1988		2250	closed	4500	OM 619.911	Diesel	38	52	2404	***
421.141	01/1977-05/1988		2250	open	4500	OM 619.911	Diesel	38	52	2404	***
421.162	01/1977-05/1988		2250	open	4500	OM 619.911	Diesel	38	52	2404	***
421.163	01/1977-05/1988		2250	closed	4500	OM 619.911	Diesel	38	52	2404	***

424.122	02/1982 - 05/1988	U 1200	2650	closed	7500	OM 353.995	Diesel	92	125	5675	***
424.126	12/1984 - 05/1988	U 1250	3250	closed	8000	OM 353.995	Diesel	92	125	5675	***
424.126	01/1986 - 05/1988	U 1550	3250	closed	10600	OM 353.958	Diesel	110	150	5675	***
424.127	12/1984 - 05/1988	U 1250 L	3250	closed	8000	OM 353.995	Diesel	92	125	5675	***
424.127	02/1986-05/1988	U 1550 L	3250	closed	8000	OM 353.995	Diesel	92	125	5675	***
424.131	01/1977-12/1982			closed	13000	OM 353.980	Diesel	81	110	5975	Traction Head
424.132	01/1983 - 05/1988	U 1200 T		closed	12750	OM 353.995	Diesel	92	125	5675	Traction Head

425.121	01/1977 - 12/1984	U 1300	2810	closed	7490	OM 353.973	Diesel	92	125	5675	***
425.131	01/1977 - 05/1988	U 1500 T		closed	10600	OM 353.958	Diesel	110	150	5675	Traction Head
425.141	01/1977 - 05/1988	U 1500	2810	closed	10600	OM 353.958	Diesel	110	150	5675	***

427.000	01/1988 -			closed	13750	OM 366.949	Diesel	92	125	5958	Traction Head
427.000		U 1400 T		closed	9000	OM 356.955	Diesel	100	136	5958	Traction Head
427.100	01/1988-		2650	closed	8500	OM 366.915	Diesel	75	102	5958	***
427.101	01/1988 -		2650	closed	8500	OM 366.949	Diesel	92	125	5958	***
427.102	01/1988 -	U 1400	2650	closed	9000	OM 356.955	Diesel	100	136	5958	***
427.105	01/1988 -	U 1600	2650	closed	10000	OM 356.956	Diesel	114	155	5958	Optional Crab Steer
427.107	09/1989-		2650	closed	10700	OM 356.997	Diesel	157	214	5958	***
427.110	01/1988-		3250	closed	8500	OM 366.949	Diesel	92	125	5958	***
427.111	01/1988-		3250	closed	8500	OM 366.949	Diesel	92	125	5958	***
427.111	01/1988-	U 1450 L	3250	closed	8500	OM 356.955	Diesel	100	136	5958	***
427.112	01/1988-	U 1450	3250	closed	8500	OM 356.955	Diesel	100	136	5958	***
427.115	01/1988 -	U 1650	3250	closed	10700	OM 356.956	Diesel	114	155	5958	Optional Crab Steer
427.116	01/1988 -	U 1650 L	3250	closed	10700	OM 366.948	Diesel	115	156	5958	***
427.117	09/1989-		3250	closed	10700	OM 356.997	Diesel	157	214	5958	***
427.118	09/1989-		3250	closed	10700	OM 357.924	Diesel	150	204	5958	***

435.110	05/1978-	U 1700	3250	closed	10600	OM 353.959	Diesel	124	169	5675	***
435.111	05/1978-	U 1700 L	3250	closed	10600	OM 353.959	Diesel	124	169	5675	***
435.113	05/1978-09/1988	U 1700 LL	3850	closed	12000	OM 353.959	Diesel	124	169	5675	***
435.115	01/1977-05/1988	U 1300 L	3250	closed	7490	OM 353.961	Diesel	92	125	5675	***
435.117	01/1977-05/1988	U 1300 LL	3700	closed	7490	OM 353.961	Diesel	92	125	5675	***

436.320	01/1977-05/1988		3250	open	7490	OM 353.961	Diesel	92	125	5675	***
436.321	01/1977-05/1988		3250	closed	7490	OM 353.961	Diesel	92	125	5675	***
436.325	01/1977-05/1988		3700	open	7490	OM 382.917	Diesel	110	150	5958	***
436.326	01/1977-05/1988		3700	closed	7490	OM 382.917	Diesel	110	150	5958	***
436.340	09/1988-		3250	open	12000	OM 356.957	Diesel	122	166	5958	***
436.341	09/1988-		3250	closed	12000	OM 356.957	Diesel	122	166	5958	***
436.342	09/1988-		3850	open	12000	OM 356.957	Diesel	122	166	5958	***
436.343	09/1988-		3850	closed	12000	OM 356.957	Diesel	122	166	5958	***

437.000	09/1988-	U 1700 T		closed	16000	OM 366.963	Diesel	122	166	5958	Traction Head
437.002	04/1992 -	U 1800 T		closed	16000	OM 356.998	Diesel	132	180	5958	Traction Head
437.002	09/1989 -	U 2100 T		closed	12500	OM 356.997	Diesel	157	214	5958	Traction Head
437.100	09/1988-		2810	closed	12000	OM 356.957	Diesel	122	166	5958	***
437.102	04/1992 -	U 1800	2810	closed	12500	OM 356.998	Diesel	132	180	5958	***
437.105	09/1989 -	U 2100	2810	closed	12500	OM 356.997	Diesel	157	214	5958	***
437.105	05/1991 -	U 2400	2810	closed	12500	OM 356.980	Diesel	177	240	5958	***
437.110	05/1988 -	U 1350 L	3250	closed	8500	OM 366.955	Diesel	100	136	5958	***
437.111	05/1988-		3250	closed	9500	OM 356.956	Diesel	114	155	5958	***
437.112	09/1988 -	U 1750	3250	closed	12000	OM 366.963	Diesel	122	166	5958	***
437.113	09/1988 -	U 1750 L	3250	closed	12000	OM 366.963	Diesel	122	166	5958	***
437.114	04/1992-	U 1850	3250	closed	14000	OM 356.998	Diesel	132	180	5958	***
437.115	04/1992-	U 1850 L	3250	closed	14000	OM 356.998	Diesel	132	180	5958	***
437.116	05/1988 -		3250	closed	9500	OM 356.997	Diesel	157	214	5658	~20 units Twin Disk
437.117	09/1989 -	U 2150	3250	closed	14000	OM 356.997	Diesel	157	214	5958	***

Chassis Type	Production Year	Sales Designation	Wheel Base (mm)	Cab	GVW (Kg)	Engine Type	Fuel	kW	PS	ccm	Note
437.117	05/1991 -	U 2450	3250	closed	12500	OM 356.980	Diesel	177	240	5958	***
437.118	09/1989 -	U 2150 L	3250	closed	14000	OM 356.997	Diesel	157	214	5958	***
437.118	07/1993 -	U 2450 L	3250	closed	17000	OM 356.980	Diesel	177	240	5958	6x6
437.120	01/1992 -		3700	closed	9500	OM 356.956	Diesel	114	155	5958	***
437.123	01/1992 -		3850	closed	9500	OM 356.956	Diesel	114	155	5958	***
437.125	05/1988 -		3700	closed	9500	OM 356.997	Diesel	157	214	5658	***
437.130	09/1988 -		3850	closed	12500	OM 366.963	Diesel	122	166	5958	***
437.131	09/1988 -		3850	closed	12500	OM 366.963	Diesel	122	166	5958	***
437.133	04/1992 -		3850	closed	14000	OM 356.998	Diesel	132	180	5958	***
437.135	09/1989 -		3850	closed	12500	OM 356.997	Diesel	155	211	5958	***
437.136	09/1989 -		3850	closed	14000	OM 356.997	Diesel	157	214	5958	***
437.136	07/1993 -		3850	closed	17000	OM 356.980	Diesel	177	240	5958	6x6
437.141	01/1992 -		4500	closed	9500	OM 356.956	Diesel	114	155	5958	***
437.156	07/1993 -		3900	closed	17000	OM 356.980	Diesel	177	241	5958	6x6
437.182	07/1993 -	U 2400 TG	4100	closed	21000	OM 356.980	Diesel	177	241	5958	Planetry Axle
437.182		U 2450 TG	4100	closed		OM 356.980	Diesel	177	241	5958	6x6, Planetry Axle
437.420	09/2002 -	U 3000	3250	closed	7500	OM 904.953	Diesel	110	150	4249	***
437.420	09/2002 -	U 4000	3250	closed	7500	OM 904.953	Diesel	110	150	4249	***
437.421	09/2002 -		3250	closed	7500	OM 900.920	Diesel	115	156		***
437.421	09/2002 -		3250	closed	7500	OM 900.920	Diesel	115	156		***
437.425	09/2002 -		3850	closed	7500	OM 904.953	Diesel	110	150	4249	***
437.425	09/2002 -		3850	closed	7500	OM 904.953	Diesel	110	150	4249	***
437.426	09/2002 -		3850	closed	7500	OM 900.920	Diesel	115	156		***
437.426	09/2002 -		3850	closed	7500	OM 900.920	Diesel	115	156		***
437.430	09/2002 -	U 5000	3250	closed	12500	OM 924.916	Diesel	160	218	4801	***
437.431	09/2002 -		3250	closed	12500	OM 924.923	Diesel	160	218	4801	***
437.435	09/2002 -		3850	closed	12500	OM 924.916	Diesel	160	218	4801	***
437.436	09/2002 -		3850	closed	12500	OM 924.923	Diesel	160	218	4801	***